

1




FIG. 2




Fig. 3




Fig. 4

PTJ

OUTPUT TARGET PRINTER REGISTRATION

FLD1

PRINTER NAME : prn4

FLD2

PROTOCOL
TO BE USED : LPR

FLD3

OUTPUT TARGET : 1xx.30.1.114

FLD4

MANUFACTURER : * * * CO., LTD

FLD5

DEVICE TYPE : LBP-5aaa

FLD6

VERSION : v1.001a

FLD7

PLACE TO
BE INSTALLED : 1xx.30.1.101

BN1

REGISTRATION

BN2

DELETE

BN3

EDIT

REGISTERED PRINTER LIST

PRINTER NAME

ADDRESS (PROTOCOL)

prn1

1xx.30.1.111(LPR)

prn2

yyyyy.com/ipp(IPP)

prn3

printer01(SMB)

FLD1

FLD2 FLD3

WN1

OK

CANCEL

Fig. 5




Fig. 6

REGISTRATION OF PRINTER

ADDRESS:

WN4 FLD8 BN4 REGISTRATION

BN5 PROPERTY

DELETE

OK CANCEL

PRINTER LIST

PRINTER NAME	ADDRESS(PROTOCOL)
prn1	1xx.30.1.111(LPR)
prn2	yyyyy.com/ipp(IPP)
prn3	printer01(SMB)

WN3

HG2

Fig. 7




Fig. 8




Fig. 9




Fig. 10

NOTICE OF PRINT RESULT
Wed, 20 Sep 2000 13:10:30 +0900

PRINT RESULT IS AS FOLLOWS:

PRINT RESULT : NORMAL
TERMINAL DEVICE TO BE USED :1yy.55.1.220
PRINTER TO BE USED :1xx.30.1.11
PRINT OBJECT :report20.doc
TRANSMISSION TIME :Wed, 20 Sep 2000 13:00:30 +0900
PRINT START TIME :Wed, 20 Sep 2000 13:08:30 +0900
PRINT FINISH TIME :Wed, 20 Sep 2000 13:09:15 +0900

HG4

Fig. 11




FIG. 12




FIG. 13

